

## Recommendations for VersaTrans® LV ATF (New 3/2014)

The following Table lists the vehicles and different types of fluids for which VersaTrans® LV ATF may or may not be used. OEM fluids and part numbers can be found in the Chek-Chart Lubrication Guides published by MOTOR Information Systems. **Multiple listings are specific to certain models and model years and are NOT interchangeable. Please consult your owner's guide to verify the proper fluid recommendation for your vehicle.**

### Automatic Transmissions Only – Passenger Cars & Light Trucks

Automaker	Models / Transmission	Model Years	OK for USE where these fluids are specified	DO NOT USE where these fluids are specified
<b>Acura</b>	ALL	1990-2014	DEXRON® -II, -III Acura ATF-Z1 Acura ATF DW-1	
<b>AM General</b>	Hummer Hummer H2 Hummer H3, H3T	1996-2002 2003-2009 2006-2010	DEXRON® -III, -VI	
<b>Audi</b>	All except: Models w/ 02E/DSG/0CG, 2006-2014; Models w/ 0B5, 2010-2014; R8, 2008-2014; Models w/ CVT (01J, 0AW)	1990-2014	DEXRON® -II P/N G 052 162 (Esso LT 71141) P/N G 055 025 (JWS 3309) P/N G 055 005 (09E, 09L) P/N G 055 162 (09E, 09L, 0AT) P/N G 055 540 (0C8) P/N 060 162 (09L, 0AT, 0B6, 0BK, 0BL, 0BW)	P/N G 052 171 (R-tronic) P/N G 052 180 (01J CVT) P/N G 052 182 (02E, 0CG) P/N G 052 516 (0AW CVT) P/N G 052 529 (0B5)
<b>BMW</b>	All models Models w/ GM 5L40-E Models w/ ZF 5HP-19/19Z, 5HP-20, 5HP-24, ZF 5HP-30 Models w/ GA6L45R Models w/ GA7AHSCD	1990-2000 2001-2007 2001-2005  2007-2013 2010-2011	DEXRON® -II, -III, -VI Esso LT 71141 Shell LA2634 Texaco ETL 7045/7045E Texaco ETL 8072B	BMW P/N 83222163514 Shell ATF M-1375.4 Shell M-L12108
<b>Buick</b>	ALL	1990-2014	AW-1 DEXRON® -II, -III, -VI	
<b>Cadillac</b>	ALL	1990-2014	AW-1 DEXRON® -III, -VI ATF-WS	
<b>Chevrolet</b>	All except: Spark CVT, 2013-2014	1990-2014	AW-1 DEXRON® -III, -VI AC Delco T-IV	AC Delco CVT Fluid

Automaker	Models / Transmission	Model Years	OK for USE where these fluids are specified	DO NOT USE where these fluids are specified
<b>Chevrolet / GMC Trucks</b>	ALL	1990-2014	DEXRON® -III, -VI AC Delco T-IV	
<b>Chrysler</b>	Aspen w/ EVT Sebring Coupe	2009 2001-2005	DEXRON® -VI Mitsubishi Diamond SP-III ATF Shell ATF 3403	Mopar® ATF+3®, ATF+4® Shell M-L12108
<b>Daewoo</b>	ALL	1999-2002	DEXRON® -III Esso LT 71141	
<b>Dodge / Dodge Trucks</b>	1500, 2500, 3500 Pickup w/ AS68RC Dakota w/ EVT Durango w/ EVT Ram 1500, 2500 HD, 3500 w/ AS68RC Ram 1500, 2500, 3500 w/ AS68RC Ram 2500 & 3500 2WD w/ AS68RC Ram 2500 & 3500 4WD w/ AS68RC Stratus Coupe	2008-2012 2009 2009 2003-2007 2011-2012 1996-2007 2003-2007 2001-2005	Mitsubishi Diamond SP-III ATF Mopar® AS68RC ATF DEXRON® -VI Shell ATF 3403	Mopar® ATF+3®, ATF+4® Mopar® C635 DDCT/MTX Mopar® CVTF+4 Mopar® P/N 05127382AA Mopar® P/N 68157995AA Mopar® P/N 68171866AA Shell M-L12108
<b>Fiat</b>	500, 500L w/ AW60T	2012-2014	Mopar® AW-1	Mopar® C635 DDCT/MTX
<b>Ford</b>	C-Max Crown Victoria Edge Five Hundred w/ 6-speed F21 Flex Focus Fusion w/ 6-speed Mustang w/ T56 Mustang Taurus	2013-2014 2009-2011 2010-2014 2005-2007 2010-2014 2000-2011 2006-2014 2003-2004 2011-2014 2010-2014	MERCON® LV DEXRON® -III ATF Type T-IV (JWS 3309)	ATF Type F (P/N XT-1-QF) CVT Fluid (P/N XT-7-QCFT) Dual Clutch Transmission Fluid (XT-11-QDC) FNR5 ATF (XT-9-QMM5) MERCON® SP (XT-6-QSP) MERCON® V (XT-5-QSM) Synthetic MERCON® (XT-2-QSM)
<b>Ford Trucks</b>	E150, E250 HD, E350, E450 Escape w/ 6F35 Escape Hybrid Expedition w/ 6R80 Explorer w/ 6R80, 6F35, 6F50, 6F55 F150 w/ 4R75E or 6R80 F250 HD, F350, F450, F550 Transit Connect	2009-2014 2009-2013 2009-2012 2009-2014 2009-2014 2009-2014 2009-2014 2010-2013	MERCON® LV	ATF Type F (XT-1-QF) MERCON® SP (XT-6-QSP) MERCON® V (XT-5-QSM)
<b>Geo</b>	ALL	1990-1997	DEXRON® -III	
<b>Honda</b>	All <b>except:</b> Models w/ CVT	1990-2014	DEXRON® -II, -III Honda ATF DW-1 Honda ATF-Z1	Honda Genuine CVT Fluid

Automaker	Models / Transmission	Model Years	OK for USE where these fluids are specified	DO NOT USE where these fluids are specified
<b>Hyundai</b>	All except: Equus, 2011-2014; Genesis Coupe w/ 3.8L, 2010-2014; Genesis Sedan w/ 4.6L or 5.0L engine, 2009-2014; Veloster w/ dual clutch, 2012-2014	1990-2014	Apolloil ATF Red-1K Hyundai SP-II, SP-III, SP-IV ATF ATF Type T-IV (JWS 3309) ATF Type WS (NWS-9638)	Hyundai SP-IV-RR Shell ATF M-1375.4
<b>Infiniti</b>	All except: QX60, QX60 Hybrid, 2014	1990-2014	DEXRON® -III Nissan Matic D Nissan Matic J Nissan Matic S	Nissan CVT Fluid NS-3
<b>Isuzu</b>	ALL	1990-2008	DEXRON® -III, -VI Honda ATF-Z1 Isuzu Genuine ATF	
<b>Jaguar</b>	XJ6, XJ12, XJR, XJS XK8, XJR, XKR XJ8	1994-1997 1997-2002 1998-2003	DEXRON® -III Esso LT 71141 Shell ATF 3403 M115	ATF Type F ATF Idemitsu K17 MERCON® V Shell ATF L12108 Shell ATF M-1375.4
<b>Jeep</b>	NONE			Mopar® ATF+3®, ATF+4® Mopar® CVTF+4 Mopar® P/N 68157995AA
<b>Kia</b>	All except: Borrego w/ 4.6L engine, 2009	1994-2014	Apolloil ATF Red-1K DEXRON® -II, -III Diamond SP-III, SP-IV ATF	Shell ATF M-1375.4
<b>Land Rover</b>	ALL models Discovery Evoque LR2 Range Rover	1990-1997 1998-2004 2012-2013 2008-2013 1998-2005	DEXRON® -II, - III ATF Type T-IV Esso LT 71141 Nippon AW-1 Texaco ETL-7045E	Shell ATF M-1375.4 Texaco N402
<b>Lexus</b>	ALL	1990-2014	DEXRON® -III ATF Type T ATF Type T-IV (JWS 3309) Toyota Gen. ATF WS (JWS 3324)	

Automaker	Models / Transmission	Model Years	OK for USE where these fluids are specified	DO NOT USE where these fluids are specified
<b>Lincoln</b>	MKS, MKT, MKX MKZ Navigator w/ 6R80 Town Car Zephyr w/ 6-speed	2010-2014 2011-2014 2009-2014 2009-2011 2006	MERCON® LV ATF Type T-IV (JWS 3309)	ATF Type F (XT-1-QF) FNR5 ATF (XT-9-QMM5) MERCON® SP (XT-6-QSP) MERCON® V (XT-5-QSM)
<b>Mazda</b>	626 w/ 2.5L V6 engine CX-7 w/ 6-speed CX-9 w/ 6-speed Mazda6 w/ 6-speed Miata Millenia MPV MX-3 MX-6 w/ 2.5L V6 engine Protege RX8 Serenia Tribute w/ 6F35	1996-2002 2007-2012 2007-2014 2005-2013 1995-2014 1995-2002 1996-2006 1995 1996-1997 1996-2002 2004-2011 1995 2008-2011	DEXRON® -III ATF Type T-IV (JWS 3309) MERCON® LV	ATF M-V Mazda ATF FZ
<b>Mercedes-Benz</b>	All except: G550, 2009; Models w/ 722.9, 724.0 or 724.2 7-speed; Models w/ 722.550 8-speed	1990-2009	DEXRON® -III Shell ATF 3403 M115	Fuchs ATF 3353 MB 236.15, 236.41
<b>Mercury</b>	Grand Marquis Mariner w/ 6F35 Mariner Hybrid Milan w/ 6-speed Montego w/ 6-speed F21 Mountaineer w/ 6R80	2009-2011 2009-2011 2009-2011 2006-2011 2005-2007 2009-2010	MERCON® LV ATF Type T-IV (JWS 3309)	ATF Type F (XT-1-QF) CVT Fluid (XT-7-QCFT) FNR5 (XT-9-QMM5) MERCON® SP (XT-6-QSP) MERCON® V (XT-5-QSM)
<b>MINI</b>	Cooper, Cooper S w/ 6-speed	2002-2013	ATF Type T-IV (JWS 3309)	Esso CVT EZL 799 Fluid
<b>Mitsubishi</b>	All except: Eclipse w/ 2.0L engine, 1996-1999; Outlander, 2011-2013; Raider, 2006-2009; Models w/ CVT or Dual Clutch	1990-2013	DEXRON® -II, -III, -VI DIA Queen ATF-J2 Diamond SP, SP-II, SP-III ATF	Mopar® ATF+3®, ATF+4® CVT Fluid CVTF-J1 DIA Queen ATF-J3 DIA Queen SSTF-1 Diamond Queen CVTF-J4
<b>Nissan</b>	All except: Altima Hybrid, 2007-2012; GT-R, 2009-2014; Models w/ CVT	1990-2014	DEXRON® -II, -III Nissan Matic D Nissan Matic J Nissan Matic K Nissan Matic S	Nissan CVT Fluid NS-2, NS-3 Nissan Matic W ATF Nissan Trans. Oil R35 Special

<b>Automaker</b>	<b>Models / Transmission</b>	<b>Model Years</b>	<b>OK for USE where these fluids are specified</b>	<b>DO NOT USE where these fluids are specified</b>
<b>Oldsmobile</b>	ALL	1990-2004	DEXRON® -III, -VI	
<b>Plymouth</b>	NONE			Mopar® ATF+3®, ATF+4®
<b>Pontiac</b>	ALL	1990-2010	DEXRON® -III, -VI AC Delco T-IV Toyota Gen. ATF WS (JWS 3324)	
<b>Porsche</b>	All except: 911, 2006-2014	1990-2008	DEXRON® -II, -III Esso LT 71141 Shell ATF 3403 M115	P/N 00004330400 P/N 00004320463 P/N 95830054000
	Cayenne	2009-2010	ATF Type T-IV (JWS 3309)	
<b>SAAB</b>	All except: 900 w/ 3-speed, 1990-1993; 9-2X, 2006	1990-2012	AW-1 DEXRON® -II, -III, -VI SAAB 3309 (Type T-IV) P/N 93 165 147	Aporoil ATF HP ATF Type F
<b>Saturn</b>	All except: Models w/ CVT	1990-2010	DEXRON® -III, -VI Honda ATF-Z1 Saturn T-IV Fluid	DEX-CVT® Fluid
<b>Scion</b>	ALL except: IQ w/ CVT, 2012-2014	2004-2014	ATF Type T-IV (JWS 3309) Toyota Gen. ATF WS (JWS 3324)	Toyota Genuine CVT Fluid TC
<b>Subaru</b>	All except: Models w/ CVT	1990-2014	DEXRON® -III Subaru ATF (Idemitsu ATF HP)	Subaru CVTF
<b>Suzuki</b>	All except: Models w/ CVT	1990-2013	DEXRON® -III, -VI Esso LT 71141 Nissan Matic S ATF Type T-IV (JWS 3309)	Shell Green-1 V Suzuki CVT Fluid Green 1
<b>Toyota</b>	All except: Corolla w/ CVT, 2014	1990-2014	DEXRON® -III, -VI ATF Type T ATF Type T-IV (JWS 3309) Toyota Gen. ATF WS (JWS 3324)	Toyota Gen. CVT Fluid Type FE
<b>Volkswagen</b>	All except: Models w/ 02E/DSG/0CG, 2002-2014; Routan, 2009-2012	1990-2014	DEXRON® -II, -III Esso LT 71141 ATF Type T-IV / JWS 3309 P/N G 052 025 (09D, 09M) P/N G 052 990 (09A) P/N G 055 005 (09L) P/N G 055 540 (9G)	P/N G 052 182 (02E, 0CG) Mopar® ATF+4®
<b>Volvo</b>	All except: S60, S60R, 2011-2014; S80, 2010-2014; XC60, XC70, 2010-2014; XC90, 2013-2014	1990-2013	DEXRON® -III ATF Type T-IV (JWS 3309)	P/N 1161540-8 P/N 1161641 (Gen. II TF-80SC) P/N 31 256 774

*Note:* The information contained in this chart is based on available published information and is accurate to the best of our knowledge. As always, you should consult your owner's guide to verify the proper fluid recommendation for your particular vehicle. VersaTrans<sup>®</sup> is a trademark of Phillips 66 Company. Other product names and related marks referenced herein are trademarks of their respective owners. Phillips 66 VersaTrans<sup>®</sup> LV ATF is not endorsed by, sponsored by or affiliated with such owners. Phillips 66 Company shall not be responsible for any errors, omissions and typographical errors that may be contained herein.